

CAL TERM Sk-	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	D	B	4948	CALOSIRUS THOMSON, 1859
CAL APIC Sk-	- - - - -	-Vg-	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-NF	B	4949	terminatus (HERBST, 1795)	
TRI TROG Sk-Bl-Ha-Sm-Öl-Go-	-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-	-	-	-	-	-	-	-	D N F	B	4950	apicalis (GYLLENHAL, 1827)
TRI BARN Sk-Bl-Ha-Sm-Öl-Go-	- -Vg-Bo-	-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-	-	-Jä-	-Vb-Nb-	-Ly-	-Lu-	-	D N F K B		4951	TRICHOSIROCULUS COLONNELLI, 1979 = CEUTHORHYNCHIDIUS auct.n.J.dVAL, 1854
<i>TRI THAL</i>												
STE UMBI Sk-	- - - - -	-Öl-Go-	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-	D	B	4952	troglodytes (FABRICIUS, 1787)
STE CARD Sk-	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-	D		4953	barnevillei (GRENIER, 1866) <i>Thalassius</i> (Schultze, 1906)
CID QUAD Sk-Bl-Ha-Sm-Öl-Go-	-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-	-	-Jä-	-Nb-	-	-	-To	D N F K B			4954	STENOCARUS THOMSON, 1859 umbrinus (GYLLENHAL, 1837) = fuliginosus Mrsh., 1802 n Gml., 1790
COE LAMI	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-	D	B	4955	CIDNORHINUS THOMSON, 1859 quadrimaculatus (LINNAEUS, 1758)
COR CAPU	- - - - -	-Go-	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-	D	B	4956	COELIastes WEISE, 1883 lamii (FABRICIUS, 1792)
EUR MARI	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-	B		4957	CORYSSOMERUS SCHÖNHERR, 1825 capucinus (BECK, 1817)
ORO CYAN Sk-Bl-Ha-Sm-Öl-Go-	-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-	-	-Jä-Ån-	-Vb-Nb-	-Ly-	-Lu-	T	D N F K B			4958	EURYOMMATUS ROGER, 1857 mariae ROGER, 1857
SIT GRAN Sk-Bl-Ha-Sm-Öl-Go-	- -Vg-	- -Nä-	-Up-Vs-	-	- - -	- - -	-	D N F	B		4959	OROBITIS GERMAR, 1817 cyanus (LINNAEUS, 1758)
SIT ORYZ i -i -i -i -i -	- -i -i -	- -i -i -i -	- -i -i -i -	- -i -	- -i -	- -i -	- -i -	D N F	B		4960	SITOPHILUS SCHÖNHERR, 1838 = CALANDRA auct.
SIT ZEAM i -X-	- - - - -	- - - - -	- - - - -	- -i -	- - -	- - -	- - -	D F K			4961	granarius (LINNAEUS, 1758) oryzae (LINNAEUS, 1758) zeamais MOTSCHULSKY, 1855
/												
SCOLYTIDAE												
HYL CREN Sk-Bl- -Sm-Öl-Go-	-Ög-Vg-Bo-	-Nä-Sö-Up-Vs-	X	-	-	-	-	D N F	B		4962	HYLESINUS FABRICIUS, 1801 = LEPERISINUS REITTER, 1913
HYL OLEI Sk- -Sm- -Go-	- -Vg-	- -Sö-Up-Vs-	-	-	-	-	-	D N			4963	crenatus (FABRICIUS, 1787) oleiperda (FABRICIUS, 1792)
HYL FRAX Sk-Bl-Ha-Sm-Öl-Go-	-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-	G	-	-	-Ån-	-Nb-	-	D N F K B			4964	oleiperda (FABRICIUS, 1792)
HYL VARI Sk-Bl-Ha-Sm-Öl-Go-	- - - - -	-Up-	-	-	-	-	-	D N F			4965	fraxini (PANZER, 1799) varius (FABRICIUS, 1775) = orni FUCHS, 1906
PTE VITT	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	-	B		4966	PTELEOBIUS BEDEL, 1888 = ACRANTUS auct.nec BRAUN, 1881
HYL OBSC	- - - - -	-Öl-Go-	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	D	B		4967	vittatus (FABRICIUS, 1787)
XYL PILO Sk-B	- - - - -	-Sm-	- - - - -	- - - - -	Vr	-Dr-Gä-Hs-Me	Jä-Ån-	-Vb-Nb-Ås-Ly-Pi-Lu-To	D N F K B		4968	HYLASTINUS BEDEL, 1888 obscurus (MARSHAM, 1802)
XYLECHINUS CHAPUIS, 1869 pilosus (RATZEBURG, 1837)												
DEN MICA Sk-Bl-Ha-Sm-Öl-Go-	-Ög-Vg-	-Ds-Nä-Sö-Up-Vs-Vr-Dr-	-Hs-	-	-Jä-Ån-	-Vb-Nb-	Ly-Pi-Lu-To	D N F K B			4969	DENDROCTONUS ERICHSON, 1836 micans (KUGELANN, 1794)

1951b: Boh 15/784 spicata SL, ET 109:82
1962: Bo, M71
1968: Sm, Rd, SL; NL (Bo) / Kr, Jo; Vn, Sw
1958: To, Andret et Ardegu R.D.
1969: As, RP/
1961: ej Bl Sk, DC;
1964: Sa, RP;