

| | | | | | | | | | | |
|-----------------------------------|--------------------|-----------------------------------|----------------------|----------|-------|---|---|-----------|------|------------------------------------|
| MEL FLAP | Sk-B1- - - | -Öl- - - - - | - | - | - | - | - | D F | 3050 | flavipes STURM, 1845 |
| MEL OVAT | Sk- - Ha-Sm- - - | -Ög-Vg-Bo- - | Nä- - Up-Vs-Vr-Dr- - | Hs- - | Jä- - | - | - | D N F K B | 3051 | ovatus STURM, 1845 |
| MEL MAUR | Sk- - Ha-Sm- - - | -Vg- - - | Nä- - Up- - | - | - | - | - | X N B | 3052 | maurus STURM, 1845 |
| MEL UMBR | Sk-B1-Ha-Sm-Öl-Go- | -Ög-Vg-Bo-Ds-Nä-Sö-Up- - | Vr-Dr- - | Hs- - | - | - | - | D N F K B | 3053 | umbrosus STURM, 1845 |
| MEL OBSC | - - Ha- - | -Öl-Go- - | -Vg- - - | - | - | - | - | F B | 3054 | obscurus ERICHSON, 1845 |
| MEL HOFF | Sk- - - | -Öl- - - | - | - | - | - | - | - | 3055 | hoffmanni REITTER, 1871 |
| MEL EXIL | Sk-B1-Ha-Sm-Öl-Go- | - | - - - | Nä- - | - | - | - | D F K B | 3056 | exilis STURM, 1845 |
| MEL LUGU | Sk-B1-Ha-Sm-Öl-Go- | -Ög- - - | Nä-Sö-Up- - | Vr-Dr- - | - | - | - | D F K B | 3057 | lugubris STURM, 1845 |
| MEL GAGA | Sk- - - - Go- | - | - - - | - | - | - | - | D F B | 3058 | gagathinus ERICHSON, 1845 |
| MEL NORV | - - - - - | - | - - - | - | - | - | - | N | 3059 | norvegicus EASTON, 1959 |
| MEL EGEN | -B1-Ha- - - | - | - - - | - | - | - | - | F K B | 3060 | egenus ERICHSON, 1845 |
| MEL ERYI | Sk-B1-Ha-Sm-Öl-Go- | -Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr- - | Hs- - | Jä- - | - | - | - | D N F K B | 3061 | erythropus (MARSHAM, 1802) |
| MEL BIDT | - - - - - | - | - - - | - | - | - | - | D | 3062 | bidentatus Br. DE BARNEVILLE, 1863 |
| MEL NIGR | Sk-B1-Ha-Sm-Öl-Go- | -Ög-Vg-Bo-Ds-Nä-Sö-Up- - | - | - | - | - | - | D N F K | 3063 | nigrescens STEPHENS, 1830 |
| MEL SYMP | - - - - - | - | - - - | - | - | - | - | X B | 3064 | = picipes STURM, 1845 |
| MEL TRIS | Sk-B1- - Sm-Öl-Go- | - | - - - | Sö-Up- - | - | - | - | D F B | 3065 | sympyti (HEER, 1841) |
| <i>Oretonura rufithorax</i> Reitt | | | | | | | | | | |

| | | | | | | | | | | |
|----------|--|--|-------------------------------------|-------------------------------------|--------------------------------|--------------------------------|----------------------------|-----------------------------|-------------------------------|--|
| EPU MELA | Sk- - - - - | -Ög- - - | Nä-Sö-Up-Vs- - | Gä- - - | - | - | - | D N F | 3066 | EPURAEA ERICHSON, 1843 |
| EPU GUTT | Sk-B1- - Sm-Öl-Go- | -Ög-Vg- - | Ds-Nä-Sö-Up-Vs- - | - | - | - | - | D N F B | 3067 | melanocephala (MARSHAM, 1802) |
| EPU FUSC | Sk- - Sm- - - | - | - | - | - | - | - | D | 3068 | guttata (OLIVIER, 1811) |
| EPU CAST | - - - - - | - | - | - | - | - | - | D F | 3069 | fuscicollis (STEPHENS, 1832) |
| EPU NEGL | Sk-B1-Ha-Sm-Öl- - | -Ög-Vg- - | Nä- - Up- - | - | - | - | - | D N F K | 3070 | castanea (DUFTSCHMID, 1825) |
| EPU FLOR | Sk-B1-Ha-Sm-Öl-Go-GS-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr- - | Hs-Me- - | Jä- - | Vb-Nb- - | Ly- - | Lu-To - | D N F K B | 3071 | neglecta (HEER, 1841) | |
| EPU ABIE | Sk-B1-Ha-Sm-Öl-Go- - | -Ög-Vg-Bo- - | Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me- - | Jä- - | Vb-Nb- - | Ly- - | Lu-To D N F K B | 3072 | florea ERICHSON, 1845 | |
| EPU LAEV | - - Ha-Sm-Öl-Go-GS-Ög-Vg-Bo- - | - | -Up-Vs-Vr-Dr- - | Hs- - | Jä- - | Vb-Nb- - | Ly-Pi-Lu-To D N F K | 3073 | <i>concrevens</i> Sib. | |
| EPU RUBF | - - - - - | - | - | - | - | - | - | F K | 3074 | laeviuscula (GYLLENHAL, 1827) |
| EPU DEUB | Sk-B1-Ha- - | -Ög-Vg- - | - | Vr-Dr- - | Hs- - | Jä- - | Vb-Nb- - | - To D N F | 3075 | rufobrunnea SJÖBERG, 1939 |
| EPU THOR | Sk- - Ha-Sm-Öl-Go-GS-Ög-Vg- - | - | Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs- - | Jä- - | Vb-Nb- - | - Lu- - | D N F K | 3076 | deubeli REITTER, 1898 | |
| EPU ANGU | Sk- - Ha-Sm- - | -Ög-Vg- - | Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb- - | Ås-Ly-Pi-Lu-To D N F K | 3077 | thoracica TOURNIER, 1872 | | |
| EPU OBLO | Sk-B1- - Sm- - | -Ög-Vg- - | -Sö-Up- - | Vr-Dr-Gä-Hs- - | Jä- - | Vb-Nb- - | Ly- - Lu- N F K | 3078 | angustula STURM, 1844 | |
| EPU LONI | - - - - - | - | - | - | - | - | - | N | 3079 | oblonga (HERBST, 1793) |
| EPU FUSS | - - - - - | - | -Up- - | -Dr- - | Hs- - | Hr-Jä- - | Vb-Nb- - | Ly- - Lu-To N F K | 3080 | longipennis SJÖBERG, 1939 |
| EPU BORE | Sk- - Sm- - | Go-GS-Ög-Vg- - | -Nä-Sö-Up- - | -Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb-Ås-Ly-Pi-Lu-To N F K B | 3081 | fussi REITTER, 1885 | | |
| EPU OPAL | Sk- - Sm-Öl-Go- - | -Ög-Vg- - | -Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs- - | Jä- - | Vb-Nb- - | Ly-Pi-Lu-To N F K | 3082 | = interjecta SJÖBERG, 1939 | | |
| EPU BICK | Sk-B1-Ha-Sm-Öl-Go-GS-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb- - | Ly-Pi-Lu-To D N F K B | 3083 | boreella (ZETTERSTEDT, 1828) | | | | |
| EPU PYGM | Sk-B1-Ha-Sm- - | -Ög-Vg-Bo-Ds-Nä-Sö-Up- - | Vr-Dr-Gä-Hs-Me- - | Jä- - | Vb-Nb-Ås-Ly-Pi-Lu- D N F K B | 3084 | opalizans J.SAHLBERG, 1889 | | | |
| EPU LONU | Sk-B1-Ha- - | - | -Bo- - | - | - | - | - | D F B | 3085 | (bickhardti St.-CLAUDE DEVILLE, 1906 <i>marcale</i> , Reitt, 1872) |
| EPU BINO | Sk-B1-Ha-Sm- - | -Go- - | -Ög-Vg-Bo- - | Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb-Ås-Ly-Pi-Lu-To D N F K B | 3086 | pygmaea (GYLLENHAL, 1808) | | |
| EPU PLAC | - - Ha- - | - | -Vg- - | -Sö-Up- - | Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Vb-Nb-Ås-Ly-Pi-Lu-To N F K | 3087 | longula ERICHSON, 1845 | | |
| EPU TERM | Sk- - Ha-Sm- - | -GS-Ög-Vg-Bo- - | Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb-Ås-Ly- - Lu-To D N F K B | 3088 | binotata REITTER, 1872 | | | |
| EPU ADUM | Sk-B1-Ha-Sm- - | -Ög- - | -Sö-Up-Vs-Vr-Dr- - | Hs- - | Jä- - | - | N F K | 3089 | placida MÄKLIN, 1853 | |
| EPU LONC | Sk- - Ha- - | - | -Vg- - | -Up- - | -Dr- - | Hs- - | Vb-Nb- - | - | terminalis (MANNERHEIM, 1843) | |
| EPU DAN | - - - - - | - | - | - | - | - | - | N F K | 3090 | adumbrata MANNERHEIM, 1852 |
| EPU EXCI | - - - - - | - | - | - | - | - | - | D F | 3091 | = tenenbaumi SJÖBERG, 1939 |
| EPU BIGU | Sk-B1-Ha-Sm-Öl-Go- - | -Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb-Ås-Ly-Pi-Lu-To D N F K B | 3092 | longiclavis SJÖBERG, 1939 | | | | |
| EPU UNIC | Sk-B1-Ha-Sm-Öl-Go- - | -Ög-Vg- - | Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs- - | Jä- - | Vb-Nb-Ås-Ly-Pi-Lu-To D N F K B | 3093 | danica SJÖBERG, 1939 | | | |
| EPU VARI | Sk-B1-Ha-Sm-Öl-Go- - | -Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs- - | Jä- - | Vb-Nb-Ås-Ly- - Lu-To D N F K B | 3094 | excisicollis REITTER, 1872 | | | | |
| EPU MUEH | Sk-B1-Ha-Sm-Öl-Go- - | -Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr- - | Hs-Me- - | Jä- - | Vb-Nb-Ås-Ly- - Lu-To D N F K | 3095 | biguttata (THUNBERG, 1784) | | | |
| EPU DELE | Sk-B1-Ha-Sm- - | - | - | - | - | - | - | D F B | 3096 | unicolor (OLIVIER, 1790) |
| EPU SILA | Sk-B1- - Sm- - | - | -Ög-Vg- - | -Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb-Ås-Ly-Pi-Lu-To D N F K | 3097 | = x-rubrum J.SAHLBERG, 1911 | | |
| EPU AEST | Sk-B1-Ha-Sm-Öl-Go-GS-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr-Gä-Hs-Me-Hr-Jä- - | Ån- | Vb-Nb-Ås-Ly-Pi-Lu-To D N F K B | 3098 | muehli REITTER, 1908 | | | | | |
| EPU MELI | Sk-B1-Ha-Sm-Öl-Go-GS-Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr- - | Hs- - | -Jä- - | -Nb- - | Ly- - Lu- D N F K B | 3100 | deleta ERICHSON, 1843 | | | |
| EPU RUFM | Sk-B1-Ha-Sm-Öl-Go- - | -Ög-Vg-Bo-Ds-Nä-Sö-Up-Vs-Vr-Dr- - | Hs-Me-Hr-Jä- - | Vb-Nb-Ås-Ly-Pi-Lu-To D N F K B | 3101 | silacea (HERBST, 1784) | | | | |
| | | | | | | | | | | aestiva (LINNAEUS, 1758) |
| | | | | | | | | | | = depressa ILLIGER, 1798 |
| | | | | | | | | | | melina ERICHSON, 1843 |
| | | | | | | | | | | rufomarginata (STEPHENS, 1830) |

3075: Vg TA Nb, KPI Sm, Q RPI Ång Gg; up, AL
 3076: Vg TA
 3077: Vg Gg
 3078: Sm FA Å, RPI
 3081: Gg AL
 3082: Åg, Gg
 3083: Å, RPI
 3084: Å, RPI
 3085: Å, RPI
 3086: Å, RPI
 3087: Sm, RC, Al, RA, I
 3088: Å, RPI
 3089: Å, RPI
 3090: Sm, RA, JR;
 3091: Å, RPI
 3092: Å, RPI
 3093: Å, RPI
 3094: Å, RPI
 3095: Me AL
 3100: Al, RPI
 3065b = Å, RPI Karabolova 308-8902 Jut Jelinci
 3083: Å, RPI
 3072: Å, RPI
 3061: Å, Gg
 3072 = 3071 & kilän 12, 399;
 3090: Sm, RA, JR;
 3082: Å, Gg;